Advanced Gastroenterology

10110 Molecular Drive, Suite 111 Rockville, MD 20850

Tel: 301-838-4224 Fax: 301-838-4244

Ghanshyam Gupta, M.D. Margaux Gonzalez, PA-C

Colonoscopy: Trilyte Preparation

Your procedure is scheduled for:			arrive at	
		Date	Time	
	Advanced Surgery Center, LLC 10110 Molecular Drive, Suite 100 Rockville, MD 20850 (301) 838-0437		Shady Grove Adventist Hospital Out-Patient Surgery Center 9901 Medical Center Drive, Rockville, MD 20850 (240) 826-6000	
Important notes:				
	*Plan to be at the center for at least three (3) hours.			
	*You must make arrangements for someone (over 18) to drive you home after			
	the procedure.			
	*Please pick up your Trilyte prescription from your local pharmacy at least three			
	(3) days prior to your procedure.			
*OVER THE COUNTER MEDICATIONS: You will need to pick up one (1) bottle				
Magnesium Citrate and one (1) box of Dulcolax 5mg (Bisacodyl) tablets. (You will only need eight 8 tablets).				
	If you are taking:			
	Blood Pressure medications: Are okay to continue. Please take 3 hours before			
	your procedure.			
	 If you use an inhaler, please bring it to your appointment. 			
Stai	ting on:		As soon as you wake up you	
	begin your preparation of			
VV 111	begin your preparation of	ina sian your ci	edi liquid diel.	
С	LEAR LIQUIDS: • Water	• Tea	 Coffee (No creamer/milk) 	
	• Soda	 Gatorade 	Clear Ensure	
	• Jell-O	Broth (Chicker	n, beef, vegetable flavor)	
			,	

NO: Gum, Candy, Milk, Pulpy Juices, V-8, Red or Purple liquids.



How to take Trilyte: (The day before your procedure)

- 1. At 6:00 am: Start by taking 4 tablets of Dulcolax (Bisacodyl)
- 2. At 12:00 pm (Noon): Take another 4 tablets of Dulcolax (Bisacodyl).
- 3. At 6:00 pm: Begin drinking Trilyte solution, you MUST finish the entire prep by 10:00 pm.
- **4. Six (6) hours** before your procedure (________), take **one (1)** bottle of **Magnesium citrate**. This should be the last thing you drink. You may **NOT** continue drinking liquids until after your procedure.

If your prep is not satisfactory due to failure to follow the instructions

The doctor will have difficulty seeing the insides of your colon. You will have to redo the prep and come in for a repeat colonoscopy. You may also be subject to a \$100 fee.

If you have any trouble, don't understand, or have any questions about the prep or what you are allowed to eat, please call the office at 301-838-4224.



- * To prevent soreness from wiping, try soft toilet tissue or pre-moistened bathroom wipes.
- Drink plenty of water to keep yourself hydrated.
- If you experience anal irritation, try using Tucks or any brand of baby wipe followed by a generous application of Vaseline petroleum jelly to the external anus after each watery bowel movement.
- Feelings of bloating and nausea are common. This is temporary and will subside. You may also call our office at (301) 838-4224.